

9 September 2015-09-11

The Carlson Apartments

315 Latrobe Street

MELBOURNE VIC 3000


CARE INSTRUCTIONS AND WARRANTY- HELIOSCREEN ROLLER BLINDS

Innovation Services Australia have installed the roller blinds in specified apartments in The Carlson, 315 La Trobe Street Melbourne

Attached are the Warranty and Care Instructions for the Roller Blinds which are all on the HCH 43 00 system.

If you have any questions relating to the blinds or installation please contact our office .

Kind regards



Jan Thomas

Sales and Design Consultant

INNOVATION SERVICES AUSTRALIA

Use, Care and Maintenance

Internal Manual Roller Blind Systems

To enjoy many years of trouble free operation of your Helioscreen roller blind, please adhere to the following Use, Care and Maintenance instructions:

USE

To operate the roller blind stand directly in front of the blind, pulling the chain straight up or down. Do not pull the chain at an angle.

Take care that the chain does not touch the fabric.

Do not pull the chain with excessive speed/force either up or down.

Take care that nothing obstructs the base bar of the blind as it goes up or down (beware of door handles, window latches / handles)

If the fabric is rolling off to one side and in danger of hitting the blind brackets, please contact your Helioscreen re-seller as soon as possible.

CARE & MAINTENANCE

Raise the blind if the door or window that it covers is open, to avoid damage by wind or rain. Dust the base bar regularly with a feather duster or damp cloth to remove any build up of dirt.

Fabric care:

Dust the fabric regularly with a feather duster or clean vacuum brush attachment, make sure to dust on the top of the roller when the blind is up, to avoid a build up of dust that may mark the fabric and become visible when the blind is down.

Some larger dust items may be removed by pressing down with masking tape, then lifting off. Take care not to fold or crease the fabric as it may leave a permanent mark.

Sunscreen Fabric:

Clean by wiping gently with a sponge and a mild detergent (5%)

Do not soak the fabric. Do not use any solvents. Do not rub.

Translucent or Blockout fabric:

Test in an inconspicuous area before spot cleaning. Clean by wiping gently with a damp sponge and mild detergent (5%). Apply the solution to the sponge, not the fabric. Do not soak the fabric. Do not use any solvents. Do not rub.



Use, Care and Maintenance

Internal Motorised Roller Blind Systems

To enjoy many years of trouble free operation of your Helioscreen roller blind, please adhere to the following Use, Care and Maintenance instructions:

USE

To operate the roller blind press the up or down button on your remote control or wall switch. Press the stop button when the blind has reached the desired height.

The remote controls are not directional, so it is not necessary to point the remote directly at the blind.

Take care that nothing obstructs the base bar of the blind as it goes up or down (beware of door handles, window latches / handles).

If the fabric is rolling off to one side and in danger of hitting the blind brackets, please contact your Helioscreen re-seller as soon as possible.

CARE & MAINTENANCE

Raise the blind if the door or window that it covers is open, to avoid damage by wind or rain. Dust the base bar regularly with a feather duster or damp cloth to remove any build up of dirt.

Fabric care:

Dust the fabric regularly with a feather duster or clean vacuum brush attachment, make sure to dust on the top of the roller when the blind is up, to avoid a build up of dust that may mark the fabric and become visible when the blind is down.

Some larger dust items may be removed by pressing down with masking tape, then lifting off. A rubber eraser may be used to remove some marks.

Take care not to fold or crease the fabric as it may leave a permanent mark.

Sunscreen Fabric:

Clean by wiping gently with a sponge and a soft detergent (5%)

Do not soak the fabric. Do not use any other solvents. Do not rub.

Translucent or Blockout fabric:

Test in an inconspicuous are before spot cleaning. Clean by wiping gently with a sponge and a soft detergent (5%). Do not soak the fabric. Do not use any other solvents. Do not rub.


Helioscreen Warranty Guarantee



Internal Manual Roller Blind Systems

For over 25 years Helioscreen has been a proud manufacturer of industry leading sun control solutions, supplying re-sellers across Australia and New Zealand. We pride ourselves on using componentry and fabrics of unsurpassed quality, and trust that you will enjoy the design, finish, and practicality of your particular choice.

Helioscreen warrants that products in its internal manual roller blind range will be free from defects in materials and workmanship, under normal and proper use for the warranty periods stated below. Proof of purchase is required for all warranty claims.

<p>System</p> <p>HCH 43 00</p>	
<div style="border: 1px solid black; height: 150px; width: 100%;"></div>	

Please take care to follow the Use, Care and Maintenance instructions.